



Laundry Tower Single Unit Front Load 4.4 Cu. Ft. Washer & 8 Cu. Ft. Gas Dryer

Laundry Tower

Available Products: ELTG7300AW

Available Colors: White

Version: 06/24

Product Specifications

Washer		Washer Cycles	
Drum Material	Stainless Steel	Cycle Count	7
Maximum Spin Speed	1100 RPM	Clean Washer	Yes
Water Level Adjustment	Yes	Delicates	Yes
Washer Options		Fast Wash	Yes
Delay Start Time	1-12 Hours	Heavy Duty	Yes
Extended Refresh	Yes	Normal	Yes
Extra Rinse	Yes	Rinse and Spin	Yes
Stain Treat	Yes	Towels	Yes
Dryer		Washer Spin Speeds	
Balanced Dry	Yes	Spin Speed Selections	4
Drum Back Type	Painted Steel	Max	Yes
Drum Material	Painted Steel	Medium	Yes
Dryness Level Selections	Yes	Low	Yes
Heating Element	20000 BTU	No Spin	Yes
Lint Filter	Yes	Temperature Settings	
Moisture Sensor	Yes	Eco Cold	Yes
Dryer Options		Cool	Yes
Delay Start Time	1-12 Hours	Warm	Yes
Dry Boost	Yes	Hot	Yes
Extended Tumble	Yes	Dispenser	
Wrinkle Release	Yes	Bleach Dispenser	Yes
Dryness Level		Detergent Dispenser	Yes
High	Yes	Fabric Softener Dispenser	Yes
Normal	Yes	Prewash Detergent Dispenser	Yes
Low	Yes	Dryer Cycles	
Damp	Yes	Cycle Count	7
Exterior		Allergen	Yes
Door Latch	Yes	Delicates	Yes
Reversible Door	Yes	Fast Dry	Yes
Electrical Specifications		Heavy Duty	Yes
Minimum Circuit Required (Dryer)	15 Amps	Normal	Yes
Minimum Circuit Required (Washing Machine)	15 Amps	Timed Dry Time	Yes
Voltage Rating (Dryer)	120v	Towels	Yes
Voltage Rating (Washing Machine)	120v	Drying Temperatures	
		Low	Yes
		Normal	Yes
		High	Yes
		Eco Dry	Yes

We reserve the right to change specifications or discontinue models without notice.

Electrolux Major Appliances, N.A.

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • electrolux.com/en

CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electrolux.ca

Cu. Ft. Gas Dryer

Available Products: ELTG7300AW

Available Colors: White

Version: 06/24

Installation

Dryer Power Cord Included	Yes
Washer Power Cord Included	Yes
Ventilation Type	Vented

Certifications and Approvals

ADA Compliant	No
---------------	----

Controls

Cancel	Yes
Child Lock	Yes
Cycle Status Lights	Yes
Delay Start	Yes
Estimated Time Remaining	Yes
Control Lock	Yes
How to Cancel	Key Combination
Pause Function	Yes
Power On/Off	Yes
Start	Yes

Dimensions and Volume

Height	76 1/4"
Width	27"
Depth	32"
Minimum Depth for Installation	36"
Washer Drum Capacity	4.4 Cu. Ft.
Dryer Drum Capacity	8 Cu. Ft.

Energy Data

Energy Efficiency	Tier 1
kWh/year	50 kWh
Water Usage/Year	4154 Gallons

General Specifications


Chime On / Chime Off	Yes
Leveling Legs	Yes
Prop 65 Label	Yes
Warranty - Labor	1 Year
Warranty - Motor	10 Years
Warranty - Parts	1 Year
Warranty - Tub	Lifetime

Performance Certifications and Approvals

ENERGY STAR Certified	Yes
High Efficiency	Yes

Installation Diagram

Laundry Center Dimensions



[†] Dryer electrical supply on rear of unit.

NOTE

- Allow minimum 36" of depth space for proper installation with 90° quick turn elbow for venting.
- Connection of water inlet hose on steam laundry center adds 3/4 in. (2 cm) to installation depth.
- Power supply cord length on washer approximately 60 inches (152.5 cm).
- Drain hose length on washer approximately 59 inches (150 cm).
- Power supply cord length on gas laundry center or electric Canadian laundry center approximately 60 inches (152.5 cm).

Gas to Propane Dryer Conversion Kit



P/N: PCK4200

Laundry Center Dimensions	
1. Unit width	27" (69 cm)
2. Height to gas supply pipe on rear of gas unit	39.7" (101 cm)
3. Centerline height for rear vent	41.8" (106 cm)
4. Floor line	--
5. Unit height	76.3" (194 cm)
6. Door clearance	53.9" (137 cm)
7. Unit depth	31.9" (81 cm)
8. Width distance to water connections	7.8" (20 cm)
9. Height to water connections	35.7" (91 cm)
10. Height to washer power connections	35.5" (91 cm)
11. Width distance to washer power connections	7.1" (18 cm)
12. Height to dryer electrical supply	48" (122 cm)