


Recommended Door Thickness
**For 25" flush inset depth, max door panel thickness is 3/4"*

Min: 3/4" (19mm)
Max: 1 1/4" (31.8mm)

Door Height: 51-1/16" (1297mm)

RIGHT REFRIGERATOR TOP



4-3/4"
(120mm)

7-13/16"
(198.5mm)

2"
(50.8mm)

Ø3/16"
(4.7625mm)

2-3/4"
(70mm)

17-11/16"
(449mm)

15-1/2"
(394mm)

Ø1"
(25.4mm)

Ø7/32"
(5.556 mm)

15/16"
(23.2 mm)

11/16"
(18 mm)

15/16"
(23.2 mm)

11/16"
(18 mm)

15-1/2"
(394mm)

Ø1"
(25.4mm)

Ø7/32"
(5.556 mm)

17-11/16"
(449mm)

Ø3/16"
(4.7625mm)

2-3/4"
(70mm)

2"
(50.8mm)

4-3/4"
(120.7mm)

7-13/16"
(198.5mm)

RIGHT REFRIGERATOR BOTTOM





Recommended Door Thickness
**For 25" flush inset depth, max door panel thickness is 3/4"*

Min: 3/4" (19mm)
Max: 1 1/4" (31.8mm)

Door Height: 51-1/16" (1297mm)

LEFT REFRIGERATOR TOP



LEFT REFRIGERATOR BOTTOM

