VENTILATION ACCESSORIES GUIDE



UNDERMOUNT/WALL MOUNT

MODEL	SIZE
KU24PRO1XV	24"
KU30PRO1XV	30"
KU36PRO1XV	36"



STANDARD FEATUR	ES
Standard filter	Aluminum mesh
Filter panel quantity	24" - 2
	30" - 2
	36" - 3
Recirculation	Yes
Motor	1
CFM	400
Lighting	LED
Controls	Electronic with buttons

	ACCESSORY	SIZE	CODE	COMMENTS/NOTES
DUCT COVER	STANDARD WIDTH	ALL	901281	Duct cover width: 9" 7/16
				Installs up to 10 ft ceilngs
	TALL	ALL	901262	Duct cover width: 9" 7/16
				Installs up to 12 ft ceilings
	MEDIUM WIDTH	30" - 36"	901263	Duct cover width: 22" 1/8
				Installs up to 12 ft ceilings
	FULL WIDTH	30"	901266	Duct cover width: 29" 15/16
				Installs up to 12 ft ceilings
		36"	901265	Duct cover width: 35" 7/8
				Installs up to 12 ft ceilings
RECIRCULATION	RECIRCULATION KIT	24"	901429	Filter qty: 1
				Installs on top of hood
		30"	901335	Filter qty: 1
				Installs on top of hood
		36"	901336	Filter qty: 1
				Installs on top of hood
	REPLACEMENT CHARCOAL FILTERS	ALL	901430	Filter qty:1
FILTER PANELS	STAINLESS STEEL BAFFLE	24" - 36"	901365	Filter qty: 4
		30"	901366	Filter qty: 2
	ALUMINUM MESH FILTERS	24" - 36"	901402	Filter qty: 1
				24" requires 2 panels
				36" requires 3 panels
		30"	901403	Filter qty: 1
				30" requires 2 panels
OTHER	FLOW RESTRICTOR	ALL	901595	Reduces CFM rating to 300 CFM

MODEL	SIZE
KU24PRO1X/14	24"
KU30PRO1X/14	30"
KU36PRO1X/14	36"
KI MODDO4V/44	40"



STANDARD FEATURES	
0111-511	Alternative manufacture of
Standard filter	Aluminum mesh
Filter panel quantity	24" - 2
	30" - 2
	36" - 3
	48" - 4
Recirculation	Yes
Motor	1
CFM	600
Lighting	LED
Controls	Electronic with buttons

	TYPE	SIZE	CODE	COMMENTS/NOTES
DUCT COVER	STANDARD	ALL	901281	Duct cover width: 9" 7/16
				Installs up to 10 ft ceilings
	TALL	ALL	901262	Duct cover width: 9" 7/16
				Installs up to 12ft ceilings
	MEDIUM	30" - 36" - 48"	901263	Duct cover width: 22" 1/8
				Installs up to 12 ft ceilings
	FULL WIDTH	30"	901266	Duct cover width: 29" 15/16
				Installs up to 12 ft ceilings
		36"	901265	Duct cover width: 35" 7/8
				Installs up to 12 ft ceilings
		48"	901261	Duct cover width: 47" 13/16
				Installs up to 12 ft ceilings
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901394	Filter qty:1
	AIR BRACKET 2 IN 1		-	=
FILTER PANELS	BAFFLE FILTERS	24" - 36" - 48"	901365	Filter panel qty: 4
		30"	901366	Filter panel qty: 2
	ALUMINUM MESH FILTERS	24" - 36" - 48"	901402	Filter panel qty: 1
				48" requires 4 panels
				36" requires 3 panels
				24" requires 2 panels
		30"	901403	Filter qty: 1
				30" requires 2 panels
OTHER	FLOW RESTRICTOR	ALL	901595	Reduces CFM rating to 300 CFM

VENTILATION ACCESSORIES GUIDE



MODEL KU36PRO2X/14 KU48PRO2X/14 **SIZE** 36"



	TYPE	SIZE	CODE	COMMENTS/NOTES
DUCT COVER	MEDIUM	ALL	901263	Duct cover width: 22" 1/8
				Installs up to 12 ft ceilings
	FULL WIDTH	36"	901265	Duct cover width: 35" 7/8
				Installs up to 12 ft ceilings
		48"	901261	Duct cover width: 47" 13/16
				Installs up to 12 ft ceilings
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901394	Filter qty: 1
				Filter lifetime: 6 months
				36"/48" requires 2 pcs
FILTER PANELS	BAFFLE FILTERS	ALL	Included	-
	ALUMINUM MESH FILTERS	ALL	901402	Filter panel qty: 1
				48" requires 4 panels
				36" requires 3 panels

STANDARD FEATURES
Standard filter
Filter panel quantity Stainless steel baffles 36" - 3 48" - 4 2

Motor CFM Lighting 1200 LED

Electronic with buttons Controls

WALL MOUNT

MODEL	SIZE
KT30XT	30"
KT36XT	36"
KT48XT	48"
KT30CAT	30"
KT36CAT	36"
KT48CAT	48



	TYPE	SIZE	CODE	COMMENTS/NOTES
DUCT COVER	DUCT COVER	ALL	Included	Duct cover width: 11" 13/16
		ALL	included	Installs up to 9 ft ceilings
	DUCT COVER EXTENSION	ALL	901583	Duct cover width: 11" 13/16
		ALL	901583	Installs up to 10 ft ceilings
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901497	Filter qty: 2
				Filter lifetime: 6 months
	DURABLE REPLACEMENT CHARCOAL	ALL	901532	Filter qty: 2
	FILTERS			Filter lifetime: 3 years
				Can be washed and resued
FILTER PANELS	BAFFLE FILTERS			Filter panel qty: 1
		ALL	901582	36" requires 3 panels
				48" requires 4 panels
REMOTE CONTRO)L	ALL	Included	-

STANDARD FEATURES

Standard filter Filter panel quantity Stainless steel mesh 36" - 3 48" - 4 Yes

Recirculation 30"5/16 - 40"3/8 Duct cover height

Digital throttle to 295 or 395 CFM 1 600

LED

Motor CFM Lighting Controls Electronic with buttons

VENTILATION ACCESSORIES GUIDE



MODEL	SIZE
KG30X	30"
KG36X	36"
KC48Y	49"



	TYPE	SIZE	CODE	COMMENTS/NOTES
DUCT COVER	DUCT COVER	ALL	Included	Duct cover width: 15" 3/4 Installs up to 9 ft ceilings
	DUCT COVER EXTENSION	ALL	901562	Duct cover width: 11" 7/16 Installs up to 10 ft ceilings
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901578	Filter qty: 1 Filter lifetime: 6 months
RECIRCULATION	KIT	ALL	901577	1 kit include:
				filter fitting, screws, charcoal filter
FILTER PANELS	STAINLESS STEEL MESH FILTERS	ALL	Included	-

STANDARD FEATURES
Standard filter
Filter panel quantity Stainless steel mesh 30" - 2 36" - 3 48" - 4

Recirculation

Yes 23" 13/16 - 41" 23/32 Duct cover height

Digital throttle to 395 CFM
Motor 1
CFM 6
Lighting L
Controls 7 600 LED Touch control

MODEL	SIZE
KCH24XV	24"
KCH30XV	30"
KCH36XV	36"



	TYPE	SIZE	CODE	COMMENTS/NOTES
DUCT COVER	DUCT COVER	ALL	Included	Duct cover width: 10" 29/32 Installs up to 9 ft ceilings
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901488	Filter qty: 1 Filter lifetime: 6 months
FILTER PANELS	ALUMINUM MESH FILTERS	ALL	901404	Filter panel qty: 1 24" requires 2 panels 30" requires 2 panels 36" requires 3 panels
OTHER	FLOW RESTRICTOR	ALL	901595	Reduces CFM rating to 300 CFM

Controls

STANDARD FEATURES
Standard filter
Filter panel quantity Aluminum mesh 24" - 2 30" - 2 36" - 3

Push buttons

Recirculation Yes 17" 23/64 - 36" 19/64

Duct cover height Motor CFM Lighting 600 LED

VENTILATION ACCESSORIES GUIDE



MODEL KPH36XT KPH48XT **SIZE** 36"



	TYPE	SIZE	CODE	COMMENTS/NOTES
DUCT COVER	DUCT COVER	36"	Included	Duct cover width: 17" 5/8
				Installs up to 10 ft ceilings
		48"	Included	Duct cover width: 29" 7/16
				Installs up to 10 ft ceilings
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901612	Filter qty: 2
				Filter lifetime: 6 months
FILTER PANELS	BAFFLE FILTERS	ALL	Included	-

STANDARD FEATURES
Standard filter
Filter panel quantity Baffle stainless steel 36" - 3 48" - 4

Recirculation Duct cover height

Yes 16" 23/32 - 35" 1/4

Digital throttle to 395 CFM Motor 1 CFM 6 Lighting L Controls E 600 LED Bar

Electronic with buttons

MODEL	SIZE
KPH362XT	36"
KPH482XT	48"



	TYPE	SIZE	CODE	COMMENTS/NOTES
DUCT COVER	DUCT COVER	36"	Included	Duct cover width: 17" 5/8
				Installs up to 10 ft ceilings
		48"	Included	Duct cover width: 29" 7/16
				Installs up to 10 ft ceilings
FILTER PANELS	BAFFLE FILTERS	ALL	Included	-

STANDARD FEATURES

Baffle stainless steel 36" - 3 48" - 4 Standard filter Filter panel quantity

Duct cover height 16" 23/32 - 35" 1/4

Motor CFM Lighting Controls 2 1200 LED Bar Electronic with buttons

VENTILATION ACCESSORIES GUIDE



MODEL	SIZE
KMC30X / KMC30BI / KMC30NE	30"
KMC36X / KMC36BI / KMC36NE	36"
IZMO 40V / IZMO 40DL / IZMO 40NE	40"



	TYPE	SIZE	CODE	COMMENTS/NOTES
DUCT COVER	DUCT COVER	ALL	Included	Duct cover width: 15" 3/4
				Installs up to 10 ft ceilings
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901531	Filter qty: 2
				Filter lifetime: 6 months
	DURABLE REPLACEMENT CHARCOAL	ALL	901532	Filter qty: 2
	FILTERS			Filter lifetime: 3 years
				Can be washed and resued
FILTER PANELS	BAFFLE FILTERS	ALL	Included	-
REMOTE CONTRO	DL	ALL	901575	-
OTHER	FLOW RESTRICTOR - 400 CFM	ALL	901530	-
	FLOW RESTRICTOR - 300 CFM	ALL	901544	-

STANDARD FEATURES	2
Standard filter	Baffle stainless steel
Filter panel quantity	30" - 3
	36" - 3
	48" - 4
Recirculation	30": Yes
	36": Yes
	48" No
Duct cover height	21" 7/8 - 39" 15/16
Motor	1
CFM	600
Lighting	LED
Controls	Electronic with buttons

MODEL		SIZE
K36HERTX	(Base unit)	36"
+ KC36HERTX	(Color Canopy - S	Stainless Steel)
+ KC36HERTNE	(Color Canopy - N	Matt Textured Black)
+ KC36HERTAV	(Color Canopy - I	Enamel Ivory)
K48HERTX	(Base unit)	48"
+ KC48HERTX	(Color Canopy - S	Stainless Steel)
+ KC48HERTNE	(Color Canopy - N	Matt Textured Black)
+ KC48HERTAV	(Color Canopy - I	Enamel Ivory)



DUCT COVER	STANDARD	ALL	Included in	Duct cover included with canopy
			Canopy	Duct cover width: 26" 11/16
				Installs up to 10 ft ceilings
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901395	Filter qty: 1
				Filter lifetime: 6 months
RECIRCULATION KIT		48"	901516	1 kit include:
		36"	901515	air outlet Ø 150 mm, air deviator,
				screws, charcoal filter
FILTER PANELS	BAFFLE FILTERS	ALL	Included	=
OTHER	FLOW RESTRICTOR	ALL	901595	Reduces CFM rating to 300 CFM

SIZE

CODE

COMMENTS/NOTES

TYPE

STANDARD FEATURES	
Standard filter	Baffle stainless steel
Filter panel quantity	36" - 3
	48" - 4
Recirculation	Yes
Duct cover height	33" 9/16 - 49" 5/16
Motor	1
CFM	600
Lighting	LED
Controls	Electronic with buttons

VENTILATION ACCESSORIES GUIDE



ISLAND

MODEL	SIZE
KTI36XT	36"
KTI42XT	42"
KTI48XT	48"



	TYPE	SIZE	CODE	COMMENTS/NOTES
DUCT COVER	DUCT COVER	ALL	Included	Duct cover width: 13"3/4
		ALL	included	Installs up to 8 ft ceilings
	DUCT COVER EXTENSION	ALL	901585	Duct cover width: 13"3/4
		ALL	901080	Installs up to 10 ft ceilings
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901531	Filter qty: 2
				Filter lifetime: 6 months
	DURABLE REPLACEMENT CHARCOAL	ALL	901532	Filter qty: 2
	FILTERS			Filter lifetime: 3 years
				Can be washed and resued
FILTER PANELS	BAFFLE FILTERS			Filter panel qty: 1
		A1.1	004504	36" requires 3 panels
		ALL	901581	42" requires 3 panels
				48" requires 4 panels
REMOTE CONTRO	DL	ALL	Included	-

STANDARD FEATURES

Stainless steel mesh

Stainless steel m

. quantity 36" - 3
42" - 3
48" - 4
Recirculation Yes
Duct cover height 27"3/4 - 39"10/16
Digital throttle to 295 or 395 CFM
Motor 1
CFM 600
Lighting
Controls

Electronic with buttons

CABINET MOUNT/VISOR

MODEL	SIZE
KTV24XV	24"
KTV30XV	30"



	TYPE	SIZE	CODE	COMMENTS/NOTES
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901531	Filter qty: 2
		ALL		Filter lifetime: 6 months
	DURABLE CHARCOAL FILTERS	ALL	901532	Filter qty: 2
				Filter lifetime: 3 years
				Can be washed and resued

STANDARD FEATURES
Standard filter
Filter panel quantity Aluminum mesh 24" - 2 30" - 4

Recirculation Motor CFM Yes 1

24" - 300 30" - 600 LED

Lighting

Controls

VENTILATION ACCESSORIES GUIDE



VENTILATION LINER/INSERT

MODEL	SIZE
KIN30XT	30"
KIN36XT	36"
KIN48XT	48"



	TYPE	SIZE	CODE	COMMENTS/NOTES
RECIRCULATION	RECIRCULATION KIT	ALL	901397	
	REPLACEMENT CHARCOAL FILTERS	ALL	901531	Filter qty: 2 Filter lifetime: 6 months
	DURABLE CHARCOAL FILTERS	ALL	901532	Filter qty: 2 Filter lifetime: 3 years Can be washed and resued
REMOTE CONTRO	DL	ALL	Included	-

STANDARD FEATURES

Baffle stainless steel Standard filter Filter panel quantity

30" - 2 36" - 3 48" - 4

Recirculation Yes

Digital throttle to 295 or 395 CFM just for 30" Motor 30" - 1

30" - 1 36"&48" - 2

CFM 30" - 600

36"&48" - 1200

Lighting LED

Electronic with buttons Controls

MODEL	SIZE
KIN30XV	30"
KIN36XV	36"



	TYPE	SIZE	CODE	COMMENTS/NOTES
RECIRCULATION	REPLACEMENT CHARCOAL FILTERS	ALL	901531	Filter qty: 2 Filter lifetime: 6 months
	DURABLE CHARCOAL FILTERS	ALL	901532	Filter qty: 2 Filter lifetime: 3 years Can be washed and resued
REMOTE CONTRO)L	ALL	901575	-

STANDARD FEATURES Standard filter

30" - 2 36" - 2 Filter panel quantity

Controls Electronic with buttons

VENTILATION ACCESSORIES GUIDE



OVER THE RANGE MICROWAVE

MODEL	SIZE	
KOTR30XV	30"	



TYPE	SIZE	CODE	COMMENTS/NOTES
RECIRCULATION KIT	ALL	Included	-

MODEL	SIZE
KOTR24XV	24"



TYPE	SIZE	CODE	COMMENTS/NOTES
RECIRCULATION KIT	ALL	Included	-