

SPR36UGGX

Range size Cooktop type Main oven EAN code

36"


Gas Gas with grill 8017709304805



Aesthetic

Professional	Control setting type	Control knobs
Stainless steel	Control knobs	Pro-style control knobs
Satin	No. of controls	8
Stainless steel	Silkscreen color	Black
Assembled	Display	Touch
Fascia below the oven	Handle	Robust knurled handle
Black enamel	Handle color	Brushed stainless steel
Cast Iron	Feet	Stainless steel
	Stainless steel Satin Stainless steel Assembled Fascia below the oven Black enamel	Stainless steelControl knobsSatinNo. of controlsStainless steelSilkscreen colorAssembledDisplayFascia below the ovenHandleBlack enamelHandle color

Programs / Functions



Cooktop technical features

Cooking zones 6
Front-left - 5270 W - 18000 BTU



Rear-left - 2930 W - 10000 BTU		
Front-center - 2930 W - 10000 BTU		
Rear-center - 2930 W - 10000 BTU		
Front-right - 5270 W - 18000 BTU		
Rear-right - 2930 W - 10000 BTU		
Automatic gas ignition Yes	Burner caps	Enameled matte black
Gas safety valves Yes		

Main Oven Technical Features

<u>.</u>			
No. of lights	1	Light on when door is	Yes
Fan number	1	open	
Volume	4.45 cu. ft.	Removable door	Yes
Cavity material	EverClean enamel	Removable inner door	Yes
No. of shelves	5	Total no. of door glasses	3
Light type	Halogen	Cooling system	Tangential
Light Power	40 W	Grill type	Gas
0		Soft Close system	Yes

Main oven options

Minimum	Temperature	250 °F
	remperature	200 1

Maximum temperature 500 °F

Accessories included for main oven and cooktop


2

Oven wire rack

Electrical Connection

Plug	(B) NEMA 5-15P	Type of electric cable	Yes, Single phase	
Current	15 A	installed		
Circuit breaker	15 A	Power cord length	59 1/16 "	
Voltage	120 V	Frequency	60 Hz	
•		Terminal block	3 pins	







Not included accessories

AIRFRY9



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



SFLK1







PPR9

Refractary pizza stone without handles. Squared stone (HxWxD): 0.9" x 25.2" x 14.75". Also suitable for gas ovens, to be placed on a rack



KITTKSPR36

Plinth, 3 sides, 900mm, SPR cookers 30'', black

PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

WOKGHU

Cast-Iron WOK Support

GRM

Gas hobs moka support







PALPZ

Pizza shovel with fold away handle width: 315mm length : 325mm

-ss-smeg

Symbols glossary (TT)

	Heavy duty cast iron pan stands: for maximum		Installation in column: Installation in column
لتتلتنا	stability and strength.	<u>11 - 1</u>	
0	Knobs control		Air cooling system: to ensure a safe surface temperatures.
*	Defrost by time: with this function the time of thawing of foods are determined automatically.	DIGI	
3	Triple glazed doors: Number of glazed doors.		Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.
*)	Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning.		Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.
****	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.	4	Gas ovens offer instantaneous heat control, reduced cooking times and the ability to bake at much lower temperatures than electric ovens.
	The inner door glass: can be removed with a few quick movements for cleaning.	o O	Side lights: Two opposing side lights increase visibility inside the oven.
<u>.5</u>	The oven cavity has 5 different cooking levels.	Ø	Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and

quietly.



Benefit (TT)

Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

Touch control

Easy and intuitive timer setting with a single touch

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Soft close

The door is equipped with a specific system for silent closing

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill



Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)