



W6124X.W.U

Washing machine

General description

Product: Washing Machine
Mode of installation: Freestanding
Spin speed: 1400 rpm
25 programs
Color: White



Programs

- Cotton
- Mix/synthetics
- Wool/hand wash
- Universal
- Dark wash
- Bedding
- Time program
- Auto
- Quick
- Heavy
- Rinse
- Spin
- Drain
- Easy care
- Drum cleaning
- Jeans
- Shirts
- Sanitize
- Quick Pro
- Allergy program Cotton
- Allergy program Synthetics
- Sportswear program
- Conditioning program
- Stain
- Steam refresh

Options

- Spin speed: Adjustable spin speed
- Super Rinse
- Super wash
- High water level
- Pre wash
- Anti-crease system

Run modes

- Normal mode, Green mode, Allergy mode, Speed mode, Intense mode, Night mode

Construction

- Quattro Construction™ - vibration-free spinning
- Door sealing: Steel Seal™ - hygienic door sealing
- Long lasting stainless steel drum
- Active Drum™ - maximum cleaning and minimal wear
- Heater capacity (W): 2000 W
- Precise temperature control (max deviation +/- 2 F)
- Water level sensor
- Drum volume: 2.8 cu ft
- Durable brushless motor
- Automatic Dosing System: Integrated
- Pro Wash system - extra effective washing and rinsing

Use and flexibility

- Easy close door
 - Liquid detergent insert
 - Active detergent compartment cleaning
 - Temperature range: Cold-Extra hot
 - Door diameter: 12 3/16" (310 mm)
 - Door opening angle: 110 °
 - Drum illumination: Yes
 - Dose assist
-

Interaction & control

- 1-24 hours
 - Remaining time indicator
 - Display Type: LCD display
 - 25 programs
-

Design & integration

- Door opening: Left
 - Adjustable feet: 3/8" (10 mm)
 - Dryer can be mounted on top
 - Water connection: cold and hot
 - Loading position: Front
-

Safety & Maintenance

- Removable lifters
 - Waterproof bottom plate
 - Maximized water inlet time
 - PEX inlet hose
 - Anti block drain pump
 - Overflow protection
 - Emergency door opening key easy accessible
 - Lockable control panel
 - Unbalance detection
 - Draining capacity: 20 l/min
 - Overheat protection
 - Thermal and electronic protection against overheating
-

Technical data

- Heater capacity (W): 2000 W
 - Water connection: cold and hot
 - Estimated annual energy consumption: 75 kWh
 - Counter weight material: Cast iron
 - Counter weight: 44 lbs
 - Noise level: 74 dB(A)
 - Noise level washing: 53 dB(A)
 - Connection rating: 2200 W
 - Number of phases: 1
 - Current: 15 A
 - Frequency: 60 Hz
 - Net weight: 205 lbs
 - ISO 14001
-

Dimensions

- Product dimensions (HxWxD): 33 7/16" × 23 7/16" × 27 9/16" (850 × 595 × 700 mm)
 - Adjustable feet: 3/8" (10 mm)
 - Depth with door open: 41 5/8" (1057 mm)
 - Cord length: 78 3/4" (2000 mm)
 - Length of inflow hose: 59 1/16" (1500 mm)
 - Length of outflow hose: 63" (1600 mm)
-

Logistic information

- Packaging dimensions: 36 1/4" × 25 3/16" × 30 9/16" (920 × 640 × 776 mm)
- Total weight of packaged product: 213 lbs
- Code: 578203
- EAN code: 3838782012785
- Market: Domestic
- Range: Style

